

L Number	Hits	Search Text	DB	Time stamp
-	42188	fourstep or (four adj step) or ("4" adj step)	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:19
-	24202	motion with step	USPAT; EPO; DERWENT; IBM_TDB	2004/02/12 18:43
-	175	(fourstep or (four adj step) or ("4" adj step)) with motion	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 11:28
-	14521	((mean adj square) or (mean adj absolute) or (sum adj absolute) or (minumum adj block)) near4 (distance or difference)) or MAD or SAD or MBDM or MSD	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 11:40
-	37332	((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference)) or MAD or SAD or MBDM or MSD or BDM	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 15:14
-	42281	(fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS"	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:24
-	156	((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") with search	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:20
-	6	((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion)) and ((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") with search	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:20
-	44	((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference)) or MAD or SAD or MBDM or MSD or BDM) and ((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:22
-	89	(fourstep or (four adj step) or ("4" adj step)) near4 search\$3	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:24
-	228	(threestep or (three adj step) or ("3" adj step)) near4 search\$3	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:24
-	127	"3SS" or "4SS" or "N4SS"	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:24
-	428	((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:31
-	73	((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and (((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:56
-	0	388/384.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:57

-	0	388/384.1.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:57
-	217	348/384.1.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:58
-	44136	intermediate near4 (pixel or point or pel)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 13:45
-	11	((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and (intermediate near4 (pixel or point or pel))	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:20
-	150774	(distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 15:16
-	16386	((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 15:16
-	593	((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel)) same (motion)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:18
-	4	((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and (((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel)) same (motion))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 15:32
-	952	((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference) or MAD or SAD or MBDM or MSD or BDM) with subtract\$	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 15:33
-	56	((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference) or MAD or SAD or MBDM or MSD or BDM) with subtract\$ and ((fourstep or (four adj step) or ("4" adj step) or "4SS" or "N4SS"))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:32
-	1323	le-vu\$.xp.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:23
-	44760	348/\$.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:23
-	5036	375/240\$.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:23
-	48176	348/\$.ccls. or 375/240\$.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:23
-	613	(MAD or SAD or MBDM or MSD or BDM) with (subtract\$ or difference\$3 or differential)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:40

-	29	((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((MAD or SAD or MBDM or MSD or BDM) with (subtract\$ or difference\$3 or differential))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:40
-	428	((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:50
-	22394	382/\$.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:50
-	6231	(hierarchical or logarithm or fast) near4 (search\$3 or motion)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:07
-	489	(coarse near4 fine) with (search\$3 or motion)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:07
-	101	((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:17
-	97	((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:08
-	941	((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:17
-	1057	((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.) or ((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.) or ((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:17
-	16386	((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:18
-	2	5151784.pn.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:18
-	383	le-vu\$.xp. and (348/\$.ccls. or 375/240\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 19:41
-	1	6363117.pn. and intermediate	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 19:42

-	91	(((((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)) or (((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)) or (((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.))) and (((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel)))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:08
-	1	(le-vu\$.xp. and (348/\$.ccls. or 375/240\$.ccls.)) and ((((((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)) or (((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)) or (((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.))) and (((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) with (pixel or point or pel)))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:18
-	39370	((((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:20
-	95	(le-vu\$.xp. and (348/\$.ccls. or 375/240\$.ccls.)) and (((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:20
-	14981	((((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:20
-	39	(le-vu\$.xp. and (348/\$.ccls. or 375/240\$.ccls.)) and (((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:20
-	150795	(distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:31
-	290	((((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:32
-	89628	distance or difference or subtract\$) near6 (adjacent or neighbor\$3 or border\$3	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:52

-	185	((((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) with (distance or difference or subtract\$) near6 (adjacent or neighbor\$3 or border\$3)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:32
-	66700	(348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:33
-	92	(((((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) with (distance or difference or subtract\$) near6 (adjacent or neighbor\$3 or border\$3)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:19
-	0	6584212.pn. and mean	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 21:22
-	0	6584212.pn. and average	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 21:22
-	8	(US-6081209-\$ or US-5173772-\$ or US-6332002-\$ or US-6304602-\$ or US-5151784-\$ or US-6014181-\$ or US-6363117-\$ or US-6584212-\$).did.	USPAT	2004/02/22 21:22
-	1	((US-6081209-\$ or US-5173772-\$ or US-6332002-\$ or US-6304602-\$ or US-5151784-\$ or US-6014181-\$ or US-6363117-\$ or US-6584212-\$).did.) and ((mean or average) near2 difference)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 21:23
-	6597	((mean adj square) or (mean adj absolute)) near4 (distance or difference or distortion)) or MAD or MSD	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:30
-	455	((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS"))	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:20
-	369	((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion)	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:20
-	817	(((((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS"))) or (((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion))	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:21
-	29	((((mean adj square) or (mean adj absolute)) near4 (distance or difference or distortion)) or MAD or MSD) and ((((((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS"))) or (((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion)))	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:21
-	3666	((mean adj absolute) near4 (distance or difference or distortion)) or MAD	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:30

-	8735	((sum adj absolute) near4 (distance or difference or distortion)) or SAD	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:30
-	60	(((mean adj absolute) near4 (distance or difference or distortion)) or MAD) with (((sum adj absolute) near4 (distance or difference or distortion)) or SAD)	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:31
-	5	((((fourstep or (four adj step) or ("4" adj step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS"))) or (((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion))) and (((mean adj absolute) near4 (distance or difference or distortion)) or MAD) with (((sum adj absolute) near4 (distance or difference or distortion)) or SAD))	USPAT; EPO; DERWENT; IBM_TDB	2004/07/29 18:31